

75 Ohm SMC Jack Right Angle Connector Solder Attachment Thru Hole PCB, .200 inch x .067 inch Hole Spacing



TECHNICAL DATA SHEET

PE4180

75 Ohm SMC Jack Right Angle Connector Solder Attachment Thru Hole PCB, .200 inch x .067 inch Hole Spacing

Configuration

Connector SMC Jack
Connector Interface Type Thru Hole
Cable Attachment Method (Shield/Contact) Solder
Body Style Right Angle

Electrical Specifications

Impedance, Ohms 75

Mechanical Specifications

Size

 Length, in [mm]
 0.67 [17.02]

 Width/Dia., in [mm]
 0.375 [10]

 Height, in [mm]
 0.56 [14.22]

 Weight, lbs [g]
 0.013 [5.9]

Connector

Type SMC Jack
Contact Material and Plating Gold
Body Material and Plating Brass, Nickel
Dielectric Type PTFE

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant Yes

Plotted and Other Data

Notes: Values at 25 °C, sea level

75 Ohm SMC Jack Right Angle Connector Solder Attachment Thru Hole PCB, .200 inch x .067 inch Hole Spacing from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm SMC Jack Right Angle Connector Solder Attachment Thru Hole PCB, .200 inch x .067 inch Hole Spacing PE4180

URL: http://www.pasternack.com/smc-jack-standard-thru-hole-pcb-connector-pe4180-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



PE4180 CAD Drawing

75 Ohm SMC Jack Right Angle Connector Solder Attachment Thru Hole PCB, .200 inch x .067 inch Hole Spacing

