

MATERIALS AND FINISHES:

J CONTACT BeCu  
PLATED GOLD

**25-07221**

INSULATOR TEFLON

I PART NO: 73366-0060/73366-0062/73366-0063/73366-0064


H BODY BRASS  
PLATED NICKEL

H PART NO: 73366-0061/73366-0065/73366-0066



H BODY BRASS  
PLATED GOLD

G PART NO 73366-0062/73366-0064/7336-0066  
PACKAGING WITH TAPE & REEL  
SEE SHEETS 2 & 3 FOR PACKAGING  
INSTRUCTIONS

F SEE SD-73366-619 FOR CONTINUATION OF TABULATION



$\phi$  4.50  
.177 REF



SUGGESTED PCB LAYOUT



E	73366-0069	.280±.006	7.10±0.15	.062±.006	1.57±0.15	.073±.006	1.86±0.15	1 PC 73366-0061 PER BAG
E	73366-0068	.280±.006	7.10±0.15	.062±.006	1.57±0.15	.073±.006	1.86±0.15	73366-0060.SMALL TRAY
E	73366-0067	.280±.006	7.10±0.15	.062±.006	1.57±0.15	.073±.006	1.86±0.15	1 PC 73366-0060 PER BAG
D	73366-0066	.236±.006	5.99±0.15	.019±.006	0.5±0.15	.031±.006	0.8±0.15	TAPE & REEL
D	73366-0065	.236±.006	5.99±0.15	.019±.006	0.5±0.15	.031±.006	0.8±0.15	TRAY
D	73366-0064	.236±.006	5.99±0.15	.019±.006	0.5±0.15	.031±.006	0.8±0.15	TAPE & REEL
D	73366-0063	.236±.006	5.99±0.15	.019±.006	0.5±0.15	.031±.006	0.8±0.15	TRAY
C	73366-0062	.280±.006	7.10±0.15	.062±.006	1.57±0.15	.073±.006	1.86±0.15	TAPE & REEL
C	73366-0061	.280±.006	7.10±0.15	.062±.006	1.57±0.15	.073±.006	1.86±0.15	TRAY
C	73366-0060	.280±.006	7.10±0.15	.062±.006	1.57±0.15	.073±.006	1.86±0.15	TRAY

		IN	MM	IN	MM	IN	MM	PACKAGE
PART NO.	A	B		C				

PS-73598-0132	ELECTRO/MECH PERFORM.
SPECIFICATION	DESCRIPTION


B	DRAWING ERROR 600 WAS 900 PER RF14-E097 EC NO: URF2014-0496 DRWN:ELIN 2014/03/04 CHKD: APPR:MHUANG 2014/03/11 REV: B11	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <td></td> <td>mm</td> <td>INCH</td> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </table> ANGULAR ± 2 °		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	DIMENSION STYLE MM/IN DRAWN BY DATE LYNN 2001/04/03 CHECKED BY DATE JOHNSON 2001/04/03 APPROVED BY DATE MISEN 2001/04/03 MATERIAL NO. SEE TABLE DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SCALE DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE MCX JACK VERT PCB TH 50 OHMS MCX-J/PCB EWR-3263 MOLEX INCORPORATED SD-73366-006 SHEET NO. 1 OF 3
					mm	INCH															
				4 PLACES	± ---	± ---															
3 PLACES	± ---	± ---																			
2 PLACES	± ---	± ---																			
1 PLACE	± ---	± ---																			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																					

NOTE:  
1. 10 PITCHES CUMULATIVE TOLERANCE ±0.20(.008)




SECTION Z-Z

CHG: SEE SHEET 1 EC NO: URF2014-0496 DRW: NELIN 2014/03/04 CHKD: APPR: MHIANG 2014/03/11	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM/IN</b>	SCALE METRIC	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± ---	mm INCH	DRAWN BY LYNN	DATE 2001/04/03	TITLE MCX JACK VERT PCB TH 50 OHMS MCX-J/PCB EWR-3263	MOLEX MOLEX INCORPORATED	MATERIAL NO. SEE SHEET 1	DOCUMENT NO. SD-73366-006
		ANGULAR ± 2 °		CHECKED BY JOHNSON	DATE 2001/04/03	SHEET NO. 2 OF 3			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



LABEL:  
 - ORDER NO.  
 - QUANTITY  
 - PART NUMBER  
 - LOT NO.



NOTES:  
 1.MATERIAL :PS BLACK-THICKNESS:0.40±0.05mm  
 2.PACKING LENGTH PER: 22" REEL: 35 METERS  
 3.COMPONENT LOAD PER: 13" REEL: 600PCS




CHG: SEE SHEET 1 EC NO: URF2014-0496 DRWNLIN 2014/03/04 CHKD: APPR:MHUANG 2014/03/11	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				MM/IN		METRIC		
				DRAWN BY	DATE	TITLE		
				CHECKED BY	DATE	MOLLEX MOLEX INCORPORATED		
		ANGULAR ± 2 °		APPROVED BY	DATE	DOCUMENT NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	SD-73366-006		SHEET NO.	
B11				SEE SHEET 1			3 OF 3	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

MATERIALS AND FINISHES

BODY: BRASS  
PLATED GOLD

CONTACT: BERYLLIUM COPPER  
PLATED GOLD

INSULATOR: TEFLON



SEE SD-73366-006 FOR TAPE & REEL DRAWING,  
PCB LAYOUT, AND PRODUCT SPECIFICATION

73366-6191	.280±.006	7.10±0.15	.062±.006	1.57±0.15	.073±.006	1.86±0.15	TAPE & REEL WITH KAPTON TAPE
73366-6190	.579±.006	14.70±0.15	.062±.006	1.57±0.15	.073±.006	1.86±0.15	TRAY
PART NO.	IN	MM	IN	MM	IN	MM	PACKAGING
	A		B		C		

CHG: NEW RELEASE EC NO: URF2014-0534 DRWN: JLEE02 CHKD: SSS APPR: WSP INK	2014/03/21 2014/03/21 2014/04/10	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			▼=0 ▽=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± ---	MM/IN DRAWN BY DATE AZR 2009/10/14 CHECKED BY DATE SSS 2009/10/14 APPROVED BY DATE WSP INK 2014/04/10	INCH TITLE MCX JACK VERTICAL PCB TH 50 OHMS MCX-J/PCB, EWR-4225		
			ANGULAR ± 2°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE TABLE	MOLEX INCORPORATED DOCUMENT NO. SD-73366-619	SHEET NO. 1 OF 1	
			SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				